KLIMAS Sp. z o.o. ul. W. Witosa 135/137 Kuźnica Kiedrzyńska 42-233 Mykanów tel. +48 34 377 71 00, fax. +48 34 328 01 73 Hotline: 801 477 477, www.wkret-met.com



PRODUCT DATA SHEET - SMGP

Section 1. PRODUCT DESCRIPTION

METRIC HEX HEAD FULL THREAD BOLT, CLASS 5.8 - SMGP

SMGP metric head full thread bolt, class 5.8 for structural fastenings of sheet overlaps, members in steel and wooden structures. The bolt is made of zinc-plated low carbon steel. On hex head of the bolt, a code defining property a class and the manufacturer is marked. Metric thread over the whole length of the pin.

Bolt class: A

Tolerance of thread: 6g Property class: 5.8 Yield point (fyb): 400 MPa Tensile strength (fub): 500 MPa



Metric bolts conform to: DIN 933

Section 2. TECHNICAL DATA




TABLE 1. TECHNICAL PARAMETERS / SELECTION TABLE											
Thread	Product code	Diameter and length [d x L]	Scale	Length of the unthreaded part	Head height	Wrench size	Pieces per pack				
		[mm]	[-]	a [mm]	k [mm]	s [mm]	[kg]				
	SMGP-05016	5,0 x 16	0,80	2,4	3,5	8	3				
M5	SMGP-05020	5,0 x 20					3				
	SMGP-05025	5,0 x 25					3				
	SMGP-05030	5,0 x 30					3				
	SMGP-05035	5,0 x 35					3				
	SMGP-05040	5,0 x 40					3				
	SMGP-05050	5,0 x 50					3				
M6	SMGP-06016	6,0 x 16	1,00	3,0	4,0	10	3/10				
	SMGP-06020	6,0 x 20					3/10				
	SMGP-06025	6,0 x 25					3/10				
	SMGP-06030	6,0 x 30					3/10				
	SMGP-06035	6,0 x 35					3/10				
	SMGP-06040	6,0 x 40					3/10				
	SMGP-06045	6,0 x 45					10				
	SMGP-06050	6,0 x 50					3/10				
	SMGP-06055	6,0 x 55					10				
	SMGP-06060	6,0 x 60					3/10				
	SMGP-06065	6,0 x 65					10				
	SMGP-06070	6,0 x 70					3/10				



KLIMAS Sp. z o.o. ul. W. Witosa 135/137 Kuźnica Kiedrzyńska 42-233 Mykanów tel. +48 34 377 71 00, fax. +48 34 328 01 73 Hotline: 801 477 477, www.wkret-met.com



PRODUCT DATA SHEET - SMGP

	SMGP-06075	6,0 x 75					10
	SMGP-06080	6,0 x 80					3/10
	SMGP-06090	6,0 x 90					10
	SMGP-06100	6,0 x 100					10
	SMGP-06120	6,0 x 120					10
M8	SMGP-08016	8,0 x 16	1,25	4,0	5,3	13	3/10
	SMGP-08020	8,0 x 20					3/10
	SMGP-08025	8,0 x 25					3/10
	SMGP-08030	8,0 x 30					3/10
	SMGP-08035	8,0 x 35					3/10
	SMGP-08040	8,0 x 40					3/10
	SMGP-08045	8,0 x 45					10
	SMGP-08050	8,0 x 50					3/10
	SMGP-08060	8,0 x 60					3/10
	SMGP-08070	8,0 x 70					3/10
	SMGP-08080	8,0 x 80					3/10
	SMGP-08100	8,0 x 100					10
	SMGP-10020	10 x 20	1,50	4,0	6,4		3/10
	SMGP-10025	10 x 25					3/10
	SMGP-10030	10 x 30					3/10
	SMGP-10035	10 x 35					3/10
M10	SMGP-10040	10 x 40				17	3/10
	SMGP-10050	10 x 50					3/10
	SMGP-10060	10 x 60					3/10
	SMGP-10070	10 x 70					3/10
	SMGP-10080	10 x 80					3/10
	SMGP-10100	10 x 100					3
	SMGP-12020	12 x 20	1,75	5,3	7,5	19	3
	SMGP-12025	12 x 25					3
	SMGP-12030	12 x 30					3
	SMGP-12035	12 x 35					3
M12	SMGP-12040	12 x 40					3
	SMGP-12050	12 x 50					3
	SMGP-12060	12 x 60					3
	SMGP-12070	12 x 70					3
	SMGP-12080	12 x 80					3
	SMGP-12100	12 x 100					3
M16	SMGP-16025	16 x 25	2,00	6,0	10,0	24	3
	SMGP-16030	16 x 30					3
	SMGP-16040	16 x 40					3
	SMGP-16050	16 x 50					3
	SMGP-16060	16 x 60					3
	SMGP-16070	16 x 70					3
	SMGP-16080	16 x 80					3
	SMGP-16100	16 x 100					3
M20	SMGP-20040	20 x 40	2,50	7,5	12,5	30	3
	SMGP-20050	20 x 50					3
	SMGP-20060	20 x 60					3
	SMGP-20070	20 x 70					3
	SMGP-20080	20 x 80					3
	SMGP-20100	20 x 100					3



KLIMAS Sp. z o.o. ul. W. Witosa 135/137 Kuźnica Kiedrzyńska 42-233 Mykanów tel. +48 34 377 71 00, fax. +48 34 328 01 73 Hotline: 801 477 477, www.wkret-met.com

Wkręt-met

PRODUCT DATA SHEET - SMGP

Section 3. REMARKS

- 1. All previous versions of this Product Data Sheet shall cease to be valid
- 2. Data given in this Product Data Sheet is in accordance with current knowledge and published in good faith. KLIMAS Sp. z o.o. is not responsible for correctness and quality of the fixing if recommendations regarding method of use and installation are not followed.